

ROXELL HEATER RANGE

A full range of livestock heaters with a unique solution for every need

FOR PIGS & POULTRY



OPEN AND
CLOSED
COMBUSTION



GAS



OIL



CONVECTION



RADIATION



WATER



HEATING














ROXELL[®]



ROXELL HEATER RANGE

A high-performance house heating system is crucial for any livestock farmer given the high cost of energy. That's why Roxell heating systems are designed to deliver outstanding performance. With our house heating systems, you can keep your energy bills under control. You also get a constant temperature, exactly where and when you want it.

With Roxell, you have a choice between systems. After all, poultry and pigs have different needs. Also your preferred type of fuel source determines what kind of house heating system you need. With the following decision tool we want to offer you a guideline for making the right decision within our range.








CONVECTION AND OPEN COMBUSTION		 SHEN TURBO  		 SIROC TURBO  				 SIROC TURBO  		
Model		100	250	40	70	100	120	8L	10L	12L
Nominal load	kW	29,31	73,27	40	70	98	119	80	100	120
	BTU/h	78.000	250.000	136.136	238.910	334.390	406.045	272.971	341.300	409.560
Air throw	m	-	-	35 m	35 m	40 m	40 m	40 m	40 m	40 m
	ft	-	-	115 ft	115 ft	131 ft	131 ft	131 ft	131 ft	131 ft

CONVECTION AND CLOSED COMBUSTION		 SIROC PURE 	
Model		80	100
Nominal load	kW	80	105
	BTU/h	272.971	358.275
Heat capacity	kW	73,2	96,6
	BTU/h	249.769	329.613
Air throw	m	55 m	60 m
	ft	180 ft	197 ft


CONVECTION AND CLOSED COMBUSTION		 SIROC HYDRO 		
Model		50	60	70
Supply/return water temperature in	°C - °F	80/65 °C 176/149 °F	80/65 °C 176/149 °F	80/65 °C 176/149 °F



To find out whether the heating appliance you have selected is certified in your region, please contact your local distributor.

RADIATION AND OPEN COMBUSTION		 QUAD GLOW 		 SHEN GLOW  		 SHEN BEAM 	
Model		80	100				
Nominal load	kW	23,45	29,31	12,3		7,3	
	BTU/h	80.000	100.000	42.000		25.000	

A FULL RANGE OF LIVESTOCK HEATERS WITH A UNIQUE SOLUTION FOR EVERY NEED





ECONOMICAL AND SAFE HEATING SYSTEM IN POLISH TURKEY HOUSE

Roxell's heating system – Quad Glow – helps Poultry farmers achieve positive results. Krzysztof Panasiuk's turkey farm has used our infrared heating this winter for the first time. He would like to share the results with you roxell.com/references/krzysztof-panasiuk

- KRZYSTOF PANASIUK

WWW.ROXELL.COM

For information about our heater range contact Roxell or contact your local Roxell distributor. Go to www.roxell.com and click on "Find distributor" to find a distributor near you.

ROXELL® BELGIUM

+32 (50) 72 91 72
info@roxell.com

ROXELL USA

+1 417 845 6065
info.usa@roxell.com

ROXELL MALAYSIA

+603 3123 1767
info.malaysia@roxell.com

ROXELL RUSSIA

+7 495 983 3015
info.russia@roxell.com